

**Commonwealth of Kentucky
Natural Resources and Environmental Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601
(502) 573-3382**

**STATE ORIGIN
AIR QUALITY PERMIT**

Permittee Name: Shelbyville Asphalt Company LLC
Mailing Address: P.O. Box 669, Bardstown, Kentucky 40004

**is authorized to construct and operate a hot mix asphalt plant (batch)
and an asphalt terminal**

Source Name: Shelbyville Asphalt Company LLC
Mailing Address: Same as above
Source Location: 1200 Brooks Industrial Road
Shelbyville, Kentucky 40065

KYEIS ID #: 21-211-00037
SIC Code: 2951

Regional Office Frankfort Regional Office
643 Teton Trail, Suite B
Frankfort, KY 40601-1758
(502) 564-3358

County: Shelby

Permit Number: S-03-101
Log Number: 55670
Permit Type: Minor Source, Construction / Operating

Issuance Date: September 17, 2003
Expiration Date: September 17, 2013

**John S. Lyons, Director
Division for Air Quality**

SECTION A - PERMIT AUTHORIZATION

Pursuant to a duly submitted application, which was determined to be complete on August 29, 2003, the Kentucky Division for Air Quality hereby authorizes the construction and operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify an affected facility without first having submitted a complete application and receiving a permit for the planned activity from the Division, except as provided in this permit or in Regulation 401 KAR 52:040, State-origin permits.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining other permits, licenses, or approvals that may be required by the Cabinet or other federal, state, or local agency.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS

- 01 (-) Rotary Dryer – Natural Gas, Fuel Oil, or Waste Oil Fired (Drum Mix)**
(Model: Gencor 76" x 30')
(Maximum Rated Capacity - 208 tons/hour)
(Control: Primary: Dropout Box, Secondary: Baghouse)

APPLICABLE REGULATIONS:

State Regulation 401 KAR 60:005, Standards of performance for new stationary sources, which incorporates by reference 40 CFR 60.90 (40 CFR 60, Subpart I).

State Regulation 401 KAR 52:090, Prohibitory rule for hot mix asphalt plants.

1. Operating Limitations:

Pursuant to State Regulation 401 KAR 52:090, Section 3, the owner or operator shall comply with the following operational limits and fuel usage requirements:

- a. Batch mix plants shall not produce more than 360,000 tons of asphalt during any consecutive twelve (12) month period.
- b. Waste oil shall not be used as a fuel for the rotary dryer or the asphalt heater unless it has been recycled and meets or exceeds the following specifications:
 1. No more than five (5) ppm of arsenic,
 2. No more than two (2) ppm of cadmium,
 3. No more than ten (10) ppm of chromium,
 4. No more than 100 ppm of lead,
 5. No more than 1000 ppm of total halogens, and
 6. Minimum flash point of 100 degrees F.

2. Emission Limitations:

- a. Pursuant to Regulation 40 CFR 60.92(a)(1), particulate matter emissions into the open air shall not exceed 0.04 gr/dscf.
- b. Pursuant to Regulation 40 CFR 60.92(a)(2), any continuous emissions into the open air shall not equal or exceed twenty percent (20%) opacity.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

2. Emission Limitations: (Continued)

Compliance Demonstration Method:

- a. Performance tests used to demonstrate compliance with the particulate matter standard as listed above shall be conducted according to Reference Method 5. The sampling time and sample volume for each run shall be at least 60 minutes and 31.8 dscf.
- b. In determining compliance with the opacity standard as listed above, the owner or operator shall use Reference Method 9.

3. Testing Requirements:

N/A

4. Monitoring Requirements:

See Section C, General Condition F.1.

5. Recordkeeping Requirements:

Pursuant to State Regulation 401 KAR 52:090, Prohibitory rule for hot mix asphalt plants, Section 5, monthly logs of asphalt production and fuel usage shall be maintained as follows:

- a. The production log shall show the amount of asphalt produced each month, in tons, and a rolling twelve (12) month total of asphalt production, obtained by adding each month's total to those for the previous eleven (11) months.
- b. The fuel usage log shall show the type and amount of fuels used each month. Fuel oils shall be identified by number (i.e., #2, #4, etc.) and fuel usage shall be expressed in gallons. Material Safety Data Sheets (MSDS) shall be maintained with the fuel usage log for all fuel oils purchased and used. Natural gas fuel usage shall be expressed in millions of cubic feet per month.
- c. All logs and MSDS sheets shall be kept on site for five (5) years from the date of last entry and shall be made available, upon request, for inspection by the cabinet or the U.S. EPA.

See also Section C, General Conditions B.1., B.2., and F.1.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., and F.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

- 02 (-) **Aggregate Handling**
- (-) **Stockpiles**
- 03 (-) **Haul Road and Yard Area (Paved) (Asphalt Plant)**
- (-) **Haul Road and Yard Area (Unpaved) (Asphalt Plant)**

ADDITION TO SOURCE

- 06 (-) **Haul Road and Yard Area (Paved) (Terminal)**

APPLICABLE REGULATIONS:

State Regulation 401 KAR 63:010, Fugitive Emissions, applies to each of the affected facilities listed above.

1. Operating Limitations:

N/A

2. Emission Limitations:

The materials processed at each affected facility listed above shall be controlled with wet suppression and/or enclosures so as to comply with the requirements specified in State Regulation 401 KAR 63:010, Fugitive emissions, Section 3, Standards for fugitive emissions.

Compliance Demonstration Method:

See Section C, General Condition F.1.

3. Testing Requirements:

N/A

4. Monitoring Requirements:

See Section C, General Condition F.1.

5. Recordkeeping Requirements:

See Section C, General Conditions B.1., B.2., and F.1.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., F.2., and G.2.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS

ADDITIONS TO SOURCE

- | | | |
|----|-----|--|
| 04 | (-) | Hot Oil Heater
Natural Gas – 8.0 mmBtu/hr (Primary Fuel)
Fuel Oil – 8.0 mmBtu/hr (Backup Fuel) |
| 05 | (-) | 200 hp Steam Boiler
Natural Gas – 8.4 mmBtu/hr (Primary Fuel)
Fuel Oil – 8.4 mmBtu/hr (Backup Fuel) |

APPLICABLE REGULATIONS:

State Regulation 401 KAR 59:015, New indirect heat exchangers, which applies to emission units constructed on or after April 9, 1972

1. **Operating Limitations:**

N/A

2. **Emission Limitations:**

Pursuant to State Regulation 401 KAR 59:015, Section 4(2), the opacity of visible emissions from the combustion of propane/natural gas shall not exceed twenty (20) percent except that a maximum of forty (40) percent opacity shall be permissible for not more than six (6) consecutive minutes during cleaning the fire box or blowing soot.

Compliance Demonstration Method:

In determining compliance with the opacity standards listed above, the owner or operator shall use Method 9 and the procedure as described in 40 CFR 60.11.

3. **Testing Requirements:**

See Section C, General Condition G.3.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

4. Monitoring Requirements:

The permittee shall monitor and maintain records of the following information:

- a. The daily propane/natural gas usage rate (cubic feet per day or gallons per month).
- b. The daily or monthly hours of operation (hours operated per day and/or month) of the burner / heater for each fuel combusted and/or any combination.
- c. During periods of burner / heater startup, shutdown or malfunction, a daily (calendar day) log of the following information shall be kept:
 - 1) Whether any air emissions were visible from the burner stack.
 - 2) Whether the visible emission were normal for the process.
 - 3) The color of the emissions and whether the emissions were light or heavy.
 - 4) The cause of the abnormal visible emissions.
 - 5) Any corrective actions taken.

See also Section C, General Condition F.1.

5. Recordkeeping Requirements:

- a. The fuel usage log shall show the type and amount of fuels used each month. Fuel oils shall be identified by number (i.e., #2, #4, etc.) and fuel usage shall be expressed in gallons. Material Safety Data Sheets (MSDS) shall be maintained with the fuel usage log for all fuel oils purchased and used. Natural gas fuel usage shall be expressed in millions of cubic feet per month.
- b. All logs and MSDS sheets shall be kept on site for five (5) years from the date of last entry and shall be made available, upon request, for inspection by the cabinet or the U.S. EPA.

See also Section C, General Conditions B.1., B.2., and F.1.

6. Reporting Requirements:

See Section C, General Conditions C.1., C.2., C.3., F.2., and G.2.

SECTION C - GENERAL CONDITIONS

A. Administrative Requirements

1. The permittee shall comply with all conditions of this permit. Noncompliance shall be a violation of State Regulation 401 KAR 52:040, Section 3(1)(b) and is grounds for enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit.
2. This permit shall remain in effect for a fixed term of ten (10) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 52:040, Section 15]
3. Any condition or portion of this permit, which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [Cabinet Provisions and Procedures for Issuing State-Origin Permits, Section 1a, 11]
4. This permit may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition. [Cabinet Provisions and Procedures for Issuing State-Origin Permits, Section 1a, 4 and 5]
5. This permit does not convey property rights or exclusive privileges. [Cabinet Provisions and Procedures for Issuing State-Origin Permits, Section 1a, 8].
6. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 52:040 Section 11(3)]
7. This permit shall be subject to suspension at any time the permittee fails to pay all fees within 90 days after notification as specified in State Regulation 401 KAR 50:038, Air emissions fee. The permittee shall submit an annual emissions certification pursuant to State Regulation 401 KAR 52:040, Section 20.
8. All permits previously issued to this source, at this location, are hereby null and void.

SECTION C - GENERAL CONDITIONS (CONTINUED)**B. Recordkeeping Requirements**

1. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of at least five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality. [Cabinet Provisions and Procedures for Issuing State-Origin Permits, Section 1b, IV. 2) and 401 KAR 52:040 Section 3(1)(f)]
2. The permittee shall perform compliance certification and recordkeeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official. [401 KAR 52:040, Section 21]

C. Reporting Requirements

1. a. In accordance with the provisions of State Regulation 401 KAR 50:055, Section 1 the permittee shall notify the Division for Air Quality's Frankfort Regional Office concerning startups, shutdowns, or malfunctions as follows:
 - i. When emissions during any planned shutdowns and ensuing startups will exceed the standards, notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
 - ii. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards, notification shall be made as promptly as possible by telephone (or other electronic media) and shall cause written notice upon request.
- b. The permittee shall promptly report deviations from permit requirements including those attributed to upset conditions [other than emission exceedances covered by Reporting Requirement condition 1 a) above], the probable cause of the deviation, and corrective or preventive measures taken; to the Division for Air Quality's Frankfort Regional Office. Other deviations from permit requirements shall be included in the semi-annual report. [Cabinet Provisions and Procedures for Issuing State-Origin Permits, Section 1b.V.3]
2. The permittee shall furnish information requested by the cabinet to determine if cause exists for modifying, revoking and reissuing, or terminating the permit; or compliance with the permit. [Material incorporated by reference by 401 KAR 52:040, Section 1a, 6].
3. Summary reports of monitoring required by this permit shall be reported to the Division's Frankfort Regional Office at least every six (6) months during the life of this permit. The summary reports are due January 30th and July 30th of each year. All reports shall be certified by a responsible official. All deviations from permit requirements shall be clearly identified in the reports. [401 KAR 52:040, Section 23]

SECTION C - GENERAL CONDITIONS (CONTINUED)

D. Inspections

1. In accordance with the requirements of State Regulation 401 KAR 52:040, Section 3(1)(f) the permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times:
 - a. Enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation;
 - b. To access and copy any records required by the permit;
 - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit;
 - d. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements.

Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency.

E. Emergencies/Enforcement Provisions

1. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance. [Cabinet Provisions and Procedures for Issuing State-Origin Permits, Section 1a, 3]
2. An emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or relevant evidence that:
 - a. An emergency occurred and the permittee can identify the cause of the emergency;
 - b. The permitted facility was at the time being properly operated;
 - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
 - d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.
3. Emergency provisions listed in General Condition E.2 are in addition to any emergency or upset provision contained in an applicable requirement.
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof.

SECTION C - GENERAL CONDITIONS (CONTINUED)**F. Compliance**

1. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:
 - a. Pursuant to State Regulation 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by State Regulation 401 KAR 50:055, Section 1.
 - b. All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and non-routine maintenance performed on each control device. Daily observations are required during daylight hours of all operations, control equipment and any visible emissions to determine whether conditions appear to be either normal or abnormal. If the operations, controls and/or emissions appear to be abnormal, the permittee must then comply with the requirements of Section C – General Conditions, C.1.b., of this permit.
 - c. A log of the monthly production rates shall be kept available at the facility. Compliance with the emission limits may be demonstrated by computer program (spread sheets), calculations or performance tests as may be specified by the Division.
2. Pursuant to State Regulation 401 KAR 52:040, Section 19, the permittee shall annually complete and return a Compliance Certification Form (DEP 7007CC) (or an approved alternative) to the Division's Frankfort Regional Office, in accordance with the following requirements:
 - a. Identification of the term or condition;
 - b. Compliance status of each term or condition of the permit;
 - c. Whether compliance was continuous or intermittent;
 - d. The method used for determining the compliance status for the source, currently and over the reporting period; and
 - e. The certification shall be postmarked by January 30th of each year. Annual compliance certifications should be mailed to the following addresses:

Division for Air Quality	Division for Air Quality
Frankfort Regional Office	Central Files
643 Teton Trail, Suite B	803 Schenkel Lane
Frankfort, KY 40601-1758	Frankfort, KY 40601
3. Permit Shield - A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with all applicable requirements for:
 - a. Applicable requirements included and specifically identified in the permit; or
 - b. Non-applicable requirements expressly identified in this permit.

SECTION C - GENERAL CONDITIONS (CONTINUED)**G. New Construction Requirements:**

1. Pursuant to State Regulation 401 KAR 52:040, Section 12(3), unless construction is commenced on or before 18 months after the date of issue of this permit, or if construction is commenced and then stopped for any consecutive period of 18 months or more, or is not completed within a reasonable timeframe, then the construction and operating authority granted by this permit for those affected facilities for which construction was not completed shall immediately become invalid. Upon a written request, the Cabinet may extend these time periods if the source shows good cause.
2. Pursuant to State Regulations 401 KAR 52:040, Section 12(4)(a) and 401 KAR 59:005, General provisions, Section 3(1), within 30 days following construction commencement, within 15 days following start-up and attainment of maximum production rate, or within 15 days following the issuance date of this permit, whichever is later, the owner and/or operator of the affected facilities specified on this permit shall furnish to the Division's Frankfort Regional Office, with a copy to the Division's Frankfort Central Office, the following:
 - a. Date when construction commenced, (See General Condition G.1).
 - b. Start-up date of each of the affected facilities listed on this permit.
 - c. Date when maximum production rate was achieved, (See General Condition G.3.b).
 - d. Summary reports, as referenced in Section C, C.3., of any monitoring required by this permit, for emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation.
 - e. The annual compliance certification, as referenced in Section C, F.2., for an emissions unit that was still under construction or which has not commenced operation at the end of the 12-month period covered by the compliance certification, shall indicate that the unit was under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
3.
 - a. Pursuant to State Regulation 401 KAR 59:005, General provisions, Section 2(1), this permit shall allow time for the initial start-up, operation and performance testing and compliance demonstration of the affected facilities listed herein. However, within 60 days after achieving the maximum production rate at which the affected facilities will be operated, but not later than 180 days after initial start-up of such facilities, the owner or operator shall conduct performance tests on the additions to the source and furnish the Division's Frankfort office a written report of the results of such performance tests.
 - b. Pursuant to State Regulation 401 KAR 59:005, General provisions, Section 3(1)(b), unless notification and justification to the contrary are received by this Division, the date of achieving the maximum production rate at which the affected facilities will be operated shall be deemed to be 30 days after initial start-up.

G. New Construction Requirements: (Continued)

3.
 - c. Pursuant to Section VII 2.(1) of the policy manual of the Division for Air Quality as referenced by State Regulation 401 KAR 50:016, Section 1.(1), at least 30 days prior to the date of the required performance test(s), the permittee shall complete and return a Compliance Test Protocol (Form DEP 6027) to the Division's Frankfort office. The protocol form shall be utilized by the Division to determine if a pretest meeting is required. Pursuant to State Regulation 401 KAR 50:045, Section 5, the Division shall be notified of the actual test date at least 10 days prior to the test(s).
 - d. Pursuant to Section VII.3 of the policy manual of the Division for Air Quality as referenced by State Regulation 401 KAR 50:016, Section 1(1), results of performance test(s) required by the permit shall be submitted to the Division by the source or its representative within forty-five days after the completion of the fieldwork.
 4. Operation of the affected facilities authorized by this permit shall not commence until compliance with applicable standards specified herein has been demonstrated in accordance with the requirements of State Regulation 401 KAR 52:040, Section 12(4)(b). Until compliance is demonstrated, the source may only operate for the purpose of demonstrating compliance.

SECTION D - INSIGNIFICANT ACTIVITIES

The following listed activities have been determined to be insignificant activities for this source pursuant to Regulation 401 KAR 52:040, Section 6. While these activities are designated as insignificant the permittee must comply with the applicable regulation and some minimal level of periodic monitoring may be necessary.

<u>Description</u>	<u>Generally Applicable Regulation</u>
1. 780 Btu/hr Asphalt Heater	N/A
2. Two 1.8 million gallon asphalt tanks	N/A
3. 10,000 gallon #2 fuel oil tank	N/A